



VINYL CORP.

A Division of
ClarkDietrich® Building Systems

SAFETY DATA SHEET

Revision Date 2/2/2017

Version 01

1. IDENTIFICATION

Product identifier

Product Name: Extruded Polyvinyl Chloride Compounds
Description: Wall and ceiling accessories for stucco, plaster, drywall, veneer and EIFS/DEFS PB and PM applications

Details of the supplier of the safety data sheet

Manufacturer

VINYL CORP.
8000 NW 79th Place
Miami, FL33166 USA
Phone: 800-648-4695
FAX: 888-846-9583
<http://www.vinylcorp.com/>

SDS Contact Information

Vinyl Corp Technical Support
Sam Maldonado
sam.maldonado@vinylcorp.com
(800) 648-4695

ClarkDietrich Technical Services
Toll-Free Phone: (888) 437-3244
Toll-Free Fax: (800) 976-0249
E-mail: support@clarkdietrich.com

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label elements

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance - Pellets

Physical State - Solid

Odor - No data available

Hazards not otherwise classified (HNOC)

None know

Unknown acute toxicity

Not Applicable

Other Information

None known

3. COMPOSITION/INFORMATION ON INGREDIENTS

The components of this product are embedded in an impervious polymer matrix and are therefore not biologically available. Any hazardous constituents are fixed in the polymer matrix and therefore present a negligible exposure risk under normal conditions of processing and handling. Additives contained in this product do not pose a risk to health unless they are liberated during processing (fumes from melting, dusts). Suitable Industrial Hygiene precautions should be implemented to prevent (respirable) dust and fume exposures. Exposure to (melting) fumes should be kept as low as possible, using suitable ventilation equipment. Dusts and fumes created from secondary processing may be irritating to respiratory tract and skin and should be considered as potentially hazardous. If user operations generate dust, fumes, or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Chemical Name	CAS No	weight-%
Polyvinyl Chloride	9002-86-2	80-95
Dibutyltin bis (2-ethylhexyl mercaptoacetate)	10584-98-2	0-2
Calcium Stearate	1592-23-0	0-2
Glycerin Monostearate	31566-31-1	0-2
Monobutyltin tris (2-ethylhexyl mercaptoacetate)	26864-37-9	0-2
Bis(2-ethylhexylthioglycolate)	57583-35-4	0-2
Tris(2-ethylhexylthioglycolate)	57583-34-3	0-2
ALUMINUM	7429-90-5	0-2
CHROMIUM COMPOUNDS	N090	0-2
NICKEL COMPOUNDS	N495	5 - 10
ANTIMONY COMPOUNDS	N010	5 - 10
CARBON BLACK	1333-86-4	0-2
ZINC COMPOUNDS	N982	0-5
Vinyl Chloride	75-01-4	0-0.001%
Plasticizer		0 – 5
Inert Fillers		0 – 50
Flame Retardant		0 – 15
Heat Stabilizer		1 – 10
Colorant		0 – 15
Impact Modifiers		0 – 70
Process Aid		0 – 25
Lubricants		0 – 20

4. FIRST AID MEASURES

First Aid Measures

Eye contact	Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if symptoms occur.
Skin Contact	Wash with soap and water.
Inhalation	None under normal use conditions.
Ingestion	Get medical attention. _

Most important symptoms and effects, both acute and delayed

Symptoms	No information available.
-----------------	---------------------------

Indication of any immediate medical attention and special treatment needed

Note to physicians	Treat symptomatically
---------------------------	-----------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical, CO2 or water spray.

Unsuitable Extinguishing Media No information available.

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Hazardous combustion products

Carbon monoxide. Carbon dioxide (CO2). HCl. Trace Benzenes. Aliphatic hydrocarbons. Aromatic hydrocarbons. Isobutyrate. Cyanide.

Explosion data

Sensitivity to Mechanical Impact No information available.

Sensitivity to Static Discharge Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Protective equipment and precautions for firefighters

Use personal protective equipment as required. In the event of fire and/or explosion do not breathe fumes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required.

Other Information Not Applicable.

Environmental Precautions

Environmental Precautions Do not allow into any sewer, on the ground or into any body of water.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed.

Incompatible Materials None known based on information supplied

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Exposure Limits/Guidelines						
	Result	ACGIH	Canada British Columbia	Canada Ontario	Canada Quebec	OSHA
Vinyl Chloride (75-01-4)	TWAs	1 ppm TWA	1 ppm TWA	1 ppm TWA (designated substances regulation); 1 ppm TWA (applies to workplaces to which the designated substances regulation does not apply)	1 ppm TWAEV; 2.6 mg/m ³ TWAEV	1 ppm TWA
	STELs	Not established	Not established	Not established	Not established	5 ppm STEL (see 29 CFR 1910.1017)
Polyvinyl Chloride as Particulates not otherwise classified (PNOC)	TWAs	1 mg/m ³ TWA (respirable fraction)	1 mg/m ³ TWA (respirable)	1 mg/m ³ TWA (respirable)	10 mg/m ³ TWAEV (including dust, inert or nuisance particulates; containing no Asbestos and <1% Crystalline silica, total dust) <i>as Particulates not otherwise classified (PNOC)</i>	15 mg/m ³ TWA (total dust); 5 mg/m ³ TWA (respirable fraction) <i>as Particulates not otherwise classified (PNOC)</i>

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Dibutyltin bis (2-ethylhexyl mercaptoacetate)	STEL: 0.2 mg/m ³ Sn TWA: 0.1 mg/m ³ Sn S*	TWA: 0.1 mg/m ³ Sn (vacated) TWA: 0.1 mg/m ³ Sn (vacated) S*	IDLH: 25 mg/m ³ Sn TWA: 0.1 mg/m ³ except Cyhexatin Sn
Calcium Stearate	TWA: 10 mg/m ³ except stearates of toxic metals	-	-
Glycerin Monostearate	TWA: 10 mg/m ³ except stearates of toxic metals	-	-
Monobutyltin tris (2-ethylhexyl mercaptoacetate)	STEL: 0.2 mg/m ³ Sn TWA: 0.1 mg/m ³ Sn S*	TWA: 0.1 mg/m ³ Sn (vacated) TWA: 0.1 mg/m ³ Sn (vacated) S*	IDLH: 25 mg/m ³ Sn TWA: 0.1 mg/m ³ except Cyhexatin Sn
Bis(2-ethylhexylthioglycolate)	STEL: 0.2 mg/m ³ Sn TWA: 0.1 mg/m ³ Sn S*	TWA: 0.1 mg/m ³ Sn (vacated) TWA: 0.1 mg/m ³ Sn (vacated) S*	IDLH: 25 mg/m ³ Sn TWA: 0.1 mg/m ³ except Cyhexatin Sn
Tris(2-ethylhexylthioglycolate)	STEL: 0.2 mg/m ³ Sn TWA: 0.1 mg/m ³ Sn S*	TWA: 0.1 mg/m ³ Sn (vacated) TWA: 0.1 mg/m ³ Sn (vacated) S*	IDLH: 25 mg/m ³ Sn TWA: 0.1 mg/m ³ except Cyhexatin Sn
Dibutyltin bis (2-ethylhexyl mercaptoacetate)	STEL: 0.2 mg/m ³ Sn TWA: 0.1 mg/m ³ Sn S*	TWA: 0.1 mg/m ³ Sn (vacated) TWA: 0.1 mg/m ³ Sn (vacated) S*	IDLH: 25 mg/m ³ Sn TWA: 0.1 mg/m ³ except Cyhexatin Sn
Monobutyltin tris (2-ethylhexyl mercaptoacetate)	STEL: 0.2 mg/m ³ Sn TWA: 0.1 mg/m ³ Sn S*	TWA: 0.1 mg/m ³ Sn (vacated) TWA: 0.1 mg/m ³ Sn (vacated) S*	IDLH: 25 mg/m ³ Sn TWA: 0.1 mg/m ³ except Cyhexatin Sn
ALUMINUM	TWA: 1 mg/m ³ respirable particulate matter	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 15 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 5 mg/m ³ Al Aluminum	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust TWA: 5 mg/m ³ Al

CHROMIUM COMPOUNDS	TWA: 0.5 mg/m ³ Cr	TWA: 0.5 mg/m ³ Cr (vacated) TWA: 0.5 mg/m ³ Cr	IDLH: 25 mg/m ³ Cr(III) TWA: 0.5 mg/m ³ Cr
NICKEL COMPOUNDS	TWA: 1.5 mg/m ³ inhalable fraction	TWA: 1 mg/m ³ (vacated) TWA: 1 mg/m ³	IDLH: 10 mg/m ³ IDLH: 10 mg/m ³ Ni TWA: 0.015 mg/m ³ TWA: 0.015 mg/m ³ except Nickel carbonyl Ni
ANTIMONY COMPOUNDS	TWA: 0.5 mg/m ³ Sb	TWA: 0.5 mg/m ³ Sb (vacated) TWA: 0.5 mg/m ³ Sb	IDLH: 50 mg/m ³ Sb TWA: 0.5 mg/m ³ Sb
CARBON BLACK	TWA: 3 mg/m ³ inhalable particulate matter	TWA: 3.5 mg/m ³ (vacated) TWA: 3.5 mg/m ³	IDLH: 1750 mg/m ³ TWA: 3.5 mg/m ³ TWA: 0.1 mg/m ³ Carbon black in presence of Polycyclic aromatic hydrocarbons PAH
ZINC COMPOUNDS	STEL: 10 mg/m ³ respirable fraction TWA: 2 mg/m ³ respirable fraction	TWA: 5 mg/m ³ fume TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 5 mg/m ³ fume (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction (vacated) STEL: 10 mg/m ³ fume	IDLH: 500 mg/m ³ Ceiling: 15 mg/m ³ dust TWA: 5 mg/m ³ dust and fume STEL: 10 mg/m ³ fume
Titanium Dioxide	TWA/TLV: 10 mg/m ³	TWA5/PEL: 15 mg/m ³	
Vinyl Chloride	TWA/TLV: 5 ppm	TWA5/PEL: 1 ppm/8hr TWA	
Acrylic Copolymer	TWA/TLV: 100 ppm	TWA5/PEL: 50 ppm	
Organotin Compounds	TWA/TLV: 0.1 mg/m ³	TWA5/PEL: 0.1 mg/m ³	
Manganese	TWA/TLV: 0.5 mg/m ³	TWA5/PEL: 0.5 mg/m ³	

Appropriate engineering controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

Eye/face Protection Wear safety glasses with side shields (or goggles).

Skin and Body Protection No special technical protective measures are necessary.

Respiratory Protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Solid	Odor	No information available
Appearance	Pellets	Odor Threshold	No information available
Color	No information available		

<u>Property</u>	<u>Values</u>	<u>Remarks - Method</u>
pH	Not Applicable	
Melting point/freezing point	Not Applicable	
Boiling point / boiling range	Not Applicable	
Flash Point	Not Applicable	
Evaporation Rate	Not Applicable	
Flammability (solid, gas)	Not Applicable	
Flammability Limit in Air		

Upper Flammability Limit	Not Applicable
Lower Flammability Limit	Not Applicable
Vapor Pressure	Not Applicable
Vapor Density	Not Applicable
Specific Gravity	Not Applicable
Water solubility	Negligible
Solubility in other solvents	Not Applicable
Partition coefficient	Not Applicable
Autoignition Temperature	Not Applicable
Decomposition temperature	Not Applicable
Kinematic viscosity	Not Applicable
Dynamic viscosity	Not Applicable
Explosive properties	Not Applicable
Oxidizing properties	Not Applicable

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under normal conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Avoid overheating to minimize fume production.

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

Carbon monoxide, Carbon dioxide (CO₂), HCl, Trace Benzenes, Aliphatic hydrocarbons, Aromatic hydrocarbons, Isobutyrate, Cyanide

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	Avoid breathing vapors or mists.
Eye contact	No data available.
Skin Contact	No data available.
Ingestion	No data available.

Components		
Polyvinyl Chloride (> 99.8%)	9002-86-2	Tumorigen / Carcinogen: Ingestion/Oral-Rat TDLo • 210 g/kg 30 Week(s)-Continuous; <i>Tumorigenic: Equivocal tumorigenic agent by RTECS criteria; Lungs, Thorax, or Respiration: Tumors; Skin and Appendages: Other: Tumors</i>

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Dibutyltin bis (2-ethylhexyl mercaptoacetate) 10584-98-2	= 510 mg/kg (Rat)	-	-
Calcium Stearate 1592-23-0	> 10 g/kg (Rat)	-	-
Tris(2-ethylhexylthioglycolate) 57583-34-3	= 920 mg/kg (Rat)	-	-
CARBON BLACK 1333-86-4	> 15400 mg/kg (Rat)	-	-

Information on toxicological effects

Symptoms No information available. _____

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.
Germ cell mutagenicity No information available.
Carcinogenicity No information available.
Reproductive toxicity No information available.
STOT - single exposure No information available.
STOT - repeated exposure No information available.
Aspiration hazard Not Applicable.

Numerical measures of toxicity - Product Information

No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Based on the high molecular weight of this polymeric material, transport of this compound across biological membranes is unlikely. Accordingly, the probability of environmental toxicity or bioaccumulation in organisms is remote. Due caution should be exercised to prevent the accidental release of this material to the environment.

Compon	Algae/aquatic plants	Fish	Crustacea
Dibutyltin bis (2-ethylhexyl mercaptoacetate)	-	LC50: =11.7 mg/L (Brachydanio rerio, 96 h, static)	EC50: =0.035 mg/L (48h)

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard	NO
Chronic Health Hazard	NO
Fire hazard	NO
Sudden release of pressure hazard	NO
Reactive Hazard	NO

US State Regulations

California Proposition 65

As formulated this product does not contain any Proposition 65 chemicals

Other Regulations

EU Regulation (EC) No. 1907/2006 (REACH)

As formulated, this product does not contain any ingredients listed as an SVHC above 0.1%.

EU - Hazardous Substances Restricted or Prohibited in Electrical Equipment (2011/65/EU) (RoHS)

As formulated, this compound complies with the EU RoHS Directive (2011/65/EU) (RoHS 2) and does not contain any restricted materials above threshold levels. The RoHS directive restricts the use of Lead, Cadmium, Chrome VI, Mercury, PBBs and all PBDE materials.

Conflict Minerals

As formulated, the raw materials used in this product do not intentionally contain any of the "Conflict Minerals". Conflict Minerals consist of Gold, Columbite-Tantalite (Tantalum), Casserite (Tin), and Wolframite (Tungsten) that originate from the Democratic Republic of Congo or adjoining countries.

16. OTHER INFORMATION

NFPA Health Hazards 0 Flammability 1 Instability 0 Physical and Chemical Properties -

Disclaimer

This SDS provides information on all of Vinyl Corp's extruded PVC product lines combined. For a product specific SDS, please contact Technical Services using the contact information on page 1 listed the Identification section.

Disclaimer

To the best of our knowledge, the information contained herein is correct and accurate but does not purport to be all inclusive and shall be used only as a guide. The information relates only to the specific material designated. Vinyl Corp., nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Vinyl Corp. warrants only that the goods sold shall conform to Vinyl Corp. standard specifications or such other mutually agreed-to and documented specification. This express warranty is in lieu of and excludes all other express warranties and is extended only to Buyer. VINYL CORP. EXPRESSLY DISCLAIMS ALL OTHER WARRANTIES INCLUDING THE WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE AND MAKES NO WARRANTY AS TO THE RESULTS BUYER CAN EXPECT FROM BUYER'S USE OF THE GOODS. No employee or agent of Vinyl Corp. is authorized to make warranties about goods sold by Vinyl Corp. Company, and Buyer should not rely on any oral or written communications from employees or agents of Vinyl Corp. Company that purport to constitute a warranty. Any assistance furnished by Vinyl Corp. in the selection of goods or suggestions as to their processing or use are accepted by Buyer at Buyer's own risk, and Vinyl Corp. shall not be liable to Buyer for results obtained by Buyer from such assistance or suggestions. In no event and under no circumstances will Vinyl Corp. be liable for consequential damages of any kind.

End of Safety Data Sheet