

February, 2018

Living Building Challenge (LBC) Requirements and Steel Framing

Before defining the requirements for the steel framing industry, let's quickly review what the LBC is. "This certification program covers all building at all scales and is a unified tool for transformative design, allowing us to envision a future that is Socially Just, Culturally Rich and Ecologically Benign."¹ The LBC is a green building certification program that is similar to LEED, but has only one certification level which begins approximately at the Regenerative Level of performance as seen below.




Figure 1: Living Building Challenge(SM) 3.0

"The Living Building Challenge is comprised of seven performance categories, or 'Petals': Place, Water, Energy, Health & Happiness, Materials, Equity and Beauty. Petals are subdivided into a total of twenty Imperatives, each of which focuses on a specific sphere of influence."¹ Within the Materials Petal, we find Imperative #10 which is the **Red List** and this is where we begin to see how steel framing is influenced by the LBC. The LBC version 3.0 states that the project cannot contain any of the following Red List materials or chemicals:

1. Alkylphenols
2. Asbestos
3. Bisphenol A (BPA)
4. Cadmium
5. Chlorinated Polyethylene and Chlorosulfonated Polyethylene
6. Chlorobenzenes

¹ Living Building Challenge [™] 2.0, Executive Summary

7. Chlorofluorocarbons (CFCs) and Hydrochlorofluorocarbons (HCFCs)
8. Chloroprene (Neoprene)
9. **Chromium VI**
10. Chlorinated Polyvinyl Chloride (CPVC)
11. Formaldehyde (added)
12. Halogenated Flame Retardants (HFRs)
13. Lead (added)
14. Mercury
15. Polychlorinated Biphenyls (PCBs)
16. Perfluorinated Compounds (PFCs)
17. Phthalates
18. Polyvinyl Chloride (PVC)
19. Polyvinylidene Chloride (PVDC)
20. Short Chain Chlorinated Paraffins
21. Wood treatments containing Creosote, Arsenic or Pentachlorophenol
22. Volatile Organic Compounds (VOCs) in wet applied products

Steel sheet coils are galvanized at the steel mill, and then as an industry standard an **additional passivation coating**, variations all commonly known as “chem treat”, is applied at the steel mill before it is shipped to their customers such as ClarkDietrich. Currently, it is also an industry standard for these additional passivation coatings to contain Chromium VI which is #9 on the Red List above, so these standard coils will **NOT** qualify for use under LBC 3.0. Chromium VI was not listed on earlier versions of the Red List, so these standard coils do qualify under LBC 2.1 and earlier.

ClarkDietrich will consider supplying LBC 3.0 compliant materials if they are ordered in 40,000 pound increments per gauge. Our sales department will not accept any LBC 3.0 compliant orders without a project specific letter written by our Technical Services department (support@clarkdietrich.com) after they have reviewed the project requirements. Be aware that LBC 3.0 compliant materials are special order coils that ClarkDietrich does not keep in stock and are not commonly produced at the steel mill, thus they will have extended lead times and upcharges.

Please note that steel ordered without “chem treat” will have degraded corrosion performance, and will start to show signs of white rust (zinc oxide) earlier than steel framing that has “chem treat” applied to it.

Best Regards,

Adam Shoemaker, CSI, CDT, LEED® AP BD+C
Code Development Manager

Technical Services Department

support@clarkdietrich.com

Toll-Free Phone: (888) 437-3244

Toll-Free Fax: (800) 976-0249