created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 25100

CLASSIFICATION: 05 40 00 Cold-Formed Metal Framing

PRODUCT DESCRIPTION: To obtain cold-formed steel framing products with Residuals Disclosure levels of 1,000 ppm you must request PRIME mill certified steel when you place your order. If this request is made after manufacturing we cannot guarantee the desired Residuals Disclosure levels of 1,000 ppm. Base Metal: Steel. Base Metal Coating: Galvanized with Passivation (if applicable). Product ID - HPD covers Interior Framing Products, Interior Finishing Products, Exterior Framing Products, Floor Framing Products, Clips & Connectors, and Plaster Stucco & Veneer Products made of Cold-Formed Steel Framing. This includes, but is not limited to the following brand name products and systems, RedHeader PRO™ Rough Opening System, ProSTUD® Drywall Framing System, HDS®, MaxTrak®. Additional MasterSpecs: 09 22 16.00 Finishes:Non-Structural Metal Framing, 09 24 00 Finishes: Cement Plastering, 09 21 16.23 Finishes: Gypsum Board Shaft Wall Assemblies. SAFETY: Occupational Exposure Limits (OELs): Cold-Formed Steel Product as sold and shipped in its physical form does not present an inhalation, ingestion or contact hazard. However, operations such as burning, welding (high temperature), sawing, brazing, machining, grinding, etc. may produce fumes and/or particulates. Please refer to the ClarkDietrich Safety Data Sheet (SDS) for more information.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold level

C 100 ppm

€ 1,000 ppm

C Per GHS SDS

Other

Residuals/Impurities

Residuals/Impurities

Considered in 0 of 3 Materials

Explanation(s) provided

for Residuals/Impurities?

Yes ○ No

All Substances Above the Threshold Indicated Are: Characterized

% weight and role provided for all substances.

 ○ Yes Ex/SC Yes No Screened

All substances screened using Priority Hazard Lists with

results disclosed.

Identified ○ Yes Ex/SC Yes No

All substances disclosed by Name (Specific or Generic)

and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

STEEL [IRON LT-P1 | END MANGANESE LT-P1 | END | MUL | REP CARBON LT-UNK NICKEL LT-1 | CAN | RES | MAM | MUL | SKI COPPER LT-P1 | AQU PHOSPHORUS BM-2 | MAM | PHY CHROMIUM LT-P1 | END | SKI | RES MOLYBDENUM LT-UNK TITANIUM LT-UNK NIOBIUM LT-UNK VANADIUM LT-1 | MUL | CAN | GEN SULFUR LT-UNK | SKI] GALVANIZATION (COATING) [ZINC LT-P1 | AQU | END | MUL | PHY ALUMINUM BM-1 | END | RES | PHY] PASSIVATION COATING [CHROMIUM (III) CHROMATE LT-1 | CAN | AQU | SKI | MUL | DEV | REP | GEN | PHY PHOSPHORIC ACID LT-P1 | SKI CHROMIUM (VI) OXIDE LT-1 | CAN | AQU | SKI | REP | MUL | MAM | RES | DEV | GEN | PHY NITRIC ACID LT-P1 | SKI | MAM | PHY SILICA, AMORPHOUS BM-1 | CAN MANGANESE CITRATE NOGS MANGANESE, BIS(D-GLUCONATO-01,02)-, (T-4)- LT-P1 CHROMIUM NITRATE LT-P1 | SKI HYDROFLUORIC ACID BM-1 | SKI | MAM | MUL | PHY CHROMIUM FLUORIDE (CRF3) LT-P1 | SKI PHOSPHORIC ACID, CHROMIUM(3++) SALT (1:1) LT-P1 | SKI CHROMIUM (III) OXIDE BM-1 | SKI]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Per certification provided by steel mills.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Inherently non- emitting source per LEED®

CONSISTENCY WITH OTHER PROGRAMS

Third Party Verified?

C Yes

⊙ No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2021-06-08 PUBLISHED DATE: 2021-06-15

EXPIRY DATE: 2024-06-08



This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

STEEL %: 90.8200 - 99.6400

PRODUCT THRESHOLD: 1000 ppm

SUBSTANCE NOTES:

RESIDUALS AND IMPURITIES CONSIDERED: No

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: All commercial steel products contain small amounts of various elements in addition to those listed. These small quantities are frequently referred to as "trace" or "residual" elements that generally originate in the raw materials used. Steel products may contain the following trace or residual elements including typical percentages for the elements identified: aluminum (0.01-0.5), boron (≤0.005 max, typically 0.001%), calcium (≤ 0.005 max, typically 0.0003%), nitrogen (≤ 0.01 max, typically 0.006%), silicon (≤ 0.03 max, typically 0.002%), and tin (≤ 0.03 max, typically 0.002%). Other trace elements not frequently identified, may include antimony, arsenic, cadmium, cobalt, lead, and zirconium.

OTHER MATERIAL NOTES: Final percentage concentration of steel in the finished product depends on the ratio of steel (base metal) to the corrosion resistant galvanized coating. For example, a G90 coating on a 15-mil steel product represents 9.2% of the overall product weight, while a G40 coating on a 97-mil steel product only represents 0.4% of the overall product weight. These percentages will vary depending on the product mix ordered.

IRON ID: 7439-89-6 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-06-08 13:15:37 %: 96.0200 - 97.8090 GS: LT-P1 RC: Both NANO: No SUBSTANCE ROLE: Alloy element **HAZARD TYPE** AGENCY AND LIST TITLES **WARNINGS END TEDX - Potential Endocrine Disruptors** Potential Endocrine Disruptor

MANGANESE ID: 7439-96-5 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-06-08 13:15:40 %: 1.1500 - 1.6500 GS: LT-P1 RC: Both NANO: No SUBSTANCE ROLE: Alloy element **HAZARD TYPE** AGENCY AND LIST TITLES WARNINGS **END TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor** German FEA - Substances Hazardous to Class 2 - Hazard to Waters MUL Waters REP GHS - Japan Toxic to reproduction - Category 1B [H360] SUBSTANCE NOTES:

CARBON ID: 7440-44-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-06-08 13:15:44 %: 0.2000 - 0.2500 GS: LT-UNK RC: Both NANO: No SUBSTANCE ROLE: Alloy element HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

AOEC - Asthmagens

MAK

Waters

EU - GHS (H-Statements)

EU - GHS (H-Statements)

US NIH - Report on Carcinogens

German FEA - Substances Hazardous to

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

NICKEL

RES

CAN

MAM

RES

MUL

SKI

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-06-08 13:15:45 %: 0.2000 - 0.3000 GS: LT-1 RC: None NANO: No SUBSTANCE ROLE: Alloy element **HAZARD TYPE** AGENCY AND LIST TITLES WARNINGS H351 - Suspected of causing cancer CAN EU - GHS (H-Statements) CAN **US CDC - Occupational Carcinogens** Occupational Carcinogen CAN MAK Carcinogen Group 1 - Substances that cause cancer in CAN **IARC** Group 1 - Agent is Carcinogenic to humans CAN CA EPA - Prop 65 Carcinogen CAN **US NIH - Report on Carcinogens** Known to be a human Carcinogen CAN IARC Group 2b - Possibly carcinogenic to humans

Asthmagen (Rs) - sensitizer-induced

repeated exposure

Class 2 - Hazard to Waters

sensitization

Reasonably Anticipated to be Human Carcinogen

H372 - Causes damage to organs through prolonged or

Sensitizing Substance Sah - Danger of airway & skin

H317 - May cause an allergic skin reaction

SUBSTANCE NOTES:

COPPER				ID: 7440-50-8
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING DA	TE: 2021-06-08 13:15:45
%: 0.2000 - 0.5000	GS: LT-P1	RC: Both	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
AQU	EU - GHS (H-Statements)	H411	- Toxic to aqu	uatic life with long lasting effects

PHOSPHORUS ID: 7723-14-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-06-08 13:15:46

SUBSTANCE NOTES:

ID: 7440-02-0

%: 0.2000 - 0.2300	GS: BM-2	RC: Both	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS	
MAM	US EPA - EPCRA Extremely Hazardous Substances	Extre	Extremely Hazardous Substances	
PHY	EU - GHS (H-Statements)	H228	3 - Flammable	solid
SUBSTANCE NOTES:				

CHROMIUM		ID: 7440-47
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-06-08 13:15:46
%: 0.1500 - 0.3000	GS: LT-P1	RC: Both NANO: No SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
SUBSTANCE NOTES:		

MOLYBDENUM				ID: 7439-98-7
HAZARD SCREENING METHOD	: Pharos Chemical and Materials Library	HAZARD S	CREENING DA	TE: 2021-06-08 13:15:47
%: 0.0600 - 0.1600	GS: LT-UNK	RC: Both	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS	
None found			No warning	gs found on HPD Priority Hazard Lists
SUBSTANCE NOTES:				

TITANIUM				ID: 7440-32- 6
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING DA	TE: 2021-06-08 13:15:47
%: 0.0080 - 0.2000	GS: LT-UNK	RC: Both	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
None found			No warning	gs found on HPD Priority Hazard Lists
SUBSTANCE NOTES:				

NIOBIUM				ID: 7440-03-1
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING DA	TE: 2021-06-08 13:15:48
%: 0.0080 - 0.1500	GS: LT-UNK	RC: Both	NANO: No	SUBSTANCE ROLE: Alloy element

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES:		

VANADIUM ID: 7440-62-2 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-06-08 13:15:48 GS: LT-1 %: 0.0080 - 0.2000 SUBSTANCE ROLE: Alloy element RC: Both NANO: No **HAZARD TYPE** AGENCY AND LIST TITLES WARNINGS MUL German FEA - Substances Hazardous to Class 3 - Severe Hazard to Waters Waters CAN MAK Carcinogen Group 2 - Considered to be carcinogenic for man GEN MAK Germ Cell Mutagen 2 SUBSTANCE NOTES:

SULFUR				ID: 7704-34-9		
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2021-06-08 13:15:49			
%: 0.0070 - 0.0400	GS: LT-UNK	RC: Both	NANO: No	SUBSTANCE ROLE: Alloy element		
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS			
SKI	EU - GHS (H-Statements)	H315	- Causes skin	irritation		
SUBSTANCE NOTES:						

GALVANIZATION (COATING)	%: 0.3600 - 9.1800	
PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES CONSIDERED: No	MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: All commercial galvanizing products contain small amounts of various elements in addition to those listed. These small quantities of impurities are frequently referred to as "trace" or "residual" elements that generally originate in the raw or recycled materials used. Galvanizing products may contain the following trace or residual elements including typical maximum percentages for the elements identified: lead (0.01%), iron (0.01%), cadmium (0.01%), copper (0.01%), other elements (0.01%) balance by difference.

OTHER MATERIAL NOTES: The minimum and maximum percentages vary based on the thickness of base steel ordered and the level or corrosion protection ordered. For example a G40 coating on 97-mil sheet steel would only be 0.36% of the total weight, while a G90 coating on 15-mil sheet steel would be 9.18% of the total weight. This will vary depending on customer order requirements.

ZINC	ID: 7440-66-6

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-06-08 13:15:37				
%: 99.0000 - 100.0000	GS: LT-P1	RC: Both	NANO: No	SUBSTANCE ROLE: Galvanizing		
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS			
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life				
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting				
END	TEDX - Potential Endocrine Disruptors	s Potential Endocrine Disruptor				
MUL	German FEA - Substances Hazardous t Waters	to Cla	ss 2 - Hazard to	Waters		
PHY	EU - GHS (H-Statements)	H25	60 - Catches fire	spontaneously if exposed to air		
PHY	EU - GHS (H-Statements)		60 - In contact wi ch may ignite sp	ith water releases flammable gases contaneously		

ALUMINUM ID: 7429-90-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2021-06-08 13:15:44		
%: 0.2500 - 1.0000	GS: BM-1	RC: Both	NANO: No	SUBSTANCE ROLE: Galvanizing	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor			
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced			
PHY	EU - GHS (H-Statements)	H261 - In contact with water releases flammable ga			
PHY	EU - GHS (H-Statements)	H228 - Flammable solid			

SUBSTANCE NOTES: Corrosion Protection

PASSIVATION COATING %: 0.0080 - 0.0980

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: No MATERIAL TYPE: Other: Chemical Compound

RESIDUALS AND IMPURITIES NOTES: These are highly controlled mixtures with no know impurities.

OTHER MATERIAL NOTES: Steel sheet coils are galvanized at the steel mill, and then as an industry standard an additional passivation coating, variations all commonly known as "chem treat", is applied. This is an additional corrosion protection that helps prevent the formation of zinc oxide otherwise known as "white rust". There are many variations of "chem treat" used across the industry, and due to difficulties in tracing which specific "chem treat" was used on each order all possible hazardous components are listed here.

CHROMIUM (III) CHROMATE ID: 24613-89-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-06-08 13:15:38

%: 10.0000 - 20.0000	GS: LT-1 RG	C: UNK NANO: No SUBSTANCE ROLE: Corrosion inhibito
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
CAN	EU - GHS (H-Statements)	H350 - May cause cancer
CAN	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
SKI	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
DEV	CA EPA - Prop 65	Developmental toxicity
CAN	EU - SVHC Authorisation List	Carcinogenic - Candidate list
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
CAN	EU - SVHC Authorisation List	Carcinogenic - Banned unless Authorised
REP	CA EPA - Prop 65	Reproductive Toxicity - Female
REP	CA EPA - Prop 65	Reproductive Toxicity - Male
GEN	MAK	Germ Cell Mutagen 2
CAN	GHS - Australia	H350 - May cause cancer
GEN	GHS - Australia	H340 - May cause genetic defects
CAN	GHS - Korea	Carcinogenicity - Category 1 [H350 - May cause cancer]
REP	GHS - Australia	H360FD - May damage fertility. May damage the unborn child
PHY	EU - GHS (H-Statements)	H271 - May cause fire or explosion; strong oxidiser

PHOSPHORIC ACID ID: 7664-38-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-06-08 13:15:38

%: 10.0000 - 30.0000 GS: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Corrosion inhibitor

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage

CHROMIUM (VI) OXIDE ID: 1333-82-0

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-06-08 13:15:39
%: 7.0000 - 13.0000	GS: LT-1	RC: UNK NANO: No SUBSTANCE ROLE: Corrosion inhibitor
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
CAN	EU - GHS (H-Statements)	H350 - May cause cancer
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
REP	EU - GHS (H-Statements)	H361f - Suspected of damaging fertility
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous Waters	o Class 3 - Severe Hazard to Waters
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
MAM	EU - GHS (H-Statements)	H301 - Toxic if swallowed
MAM	EU - GHS (H-Statements)	H311 - Toxic in contact with skin
SKI	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
MAM	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
RES	EU - GHS (H-Statements)	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
DEV	CA EPA - Prop 65	Developmental toxicity
MAM	EU - GHS (H-Statements)	H330 - Fatal if inhaled
CAN	EU - SVHC Authorisation List	Carcinogenic - Candidate list
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
GEN	EU - GHS (H-Statements)	H340 - May cause genetic defects
CAN	EU - REACH Annex XVII CMRs	Carcinogen Category 1 - Substances known to be Carcinogenic to man

GEN	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man
CAN	EU - Annex VI CMRs	Carcinogen Category 1A - Known human Carcinogen based on human evidence
GEN	EU - Annex VI CMRs	Mutagen - Category 1B
CAN	EU - SVHC Authorisation List	Carcinogenic - Banned unless Authorised
REP	CA EPA - Prop 65	Reproductive Toxicity - Female
REP	CA EPA - Prop 65	Reproductive Toxicity - Male
GEN	MAK	Germ Cell Mutagen 2
GEN	EU - SVHC Authorisation List	Mutagenic - Candidate list
GEN	EU - SVHC Authorisation List	Mutagenic - Banned unless Authorised
CAN	GHS - Australia	H350 - May cause cancer
GEN	GHS - New Zealand	6.6A - Known or presumed human mutagens
CAN	GHS - New Zealand	6.7A - Known or presumed human carcinogens
REP	GHS - New Zealand	6.8A - Known or presumed human reproductive or developmental toxicants
CAN	GHS - Korea	Carcinogenicity - Category 1 [H350 - May cause cancer]
CAN	GHS - Japan	Carcinogenicity - Category 1A [H350]
REP	GHS - Japan	Toxic to reproduction - Category 1B [H360]
GEN	GHS - Japan	Germ cell mutagenicity - Category 1B [H340]
REP	GHS - Australia	H360FD - May damage fertility. May damage the unborn child
PHY	EU - GHS (H-Statements)	H271 - May cause fire or explosion; strong oxidiser
SUBSTANCE NOTES:	Corrosion Protection	

NITRIC ACID ID: 7697-37-2

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library		y HAZARD SCREENING DATE: 2021-06-08 13:15:43				
%: 1.0000 - 5.0000	GS: LT-P1	RC: UI	NK	NANO: No	SUBSTANCE ROLE: Corrosion inhibitor		
HAZARD TYPE	AGENCY AND LIST TITLES		WA	RNINGS			
SKI	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage					
MAM	US EPA - EPCRA Extremely Hazardous Substances	us Extremely Hazardous Substances					
PHY	EU - GHS (H-Statements)	H272 - May intensify fire; oxidiser					
PHY	GHS - Korea	H271 - May cause fire or explosion; strong oxidizer					
SUBSTANCE NOTES: Corrosion	n Protection						

SILICA, AMORPHOUS ID: 7631-86-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-06-08 13:15:43

%: 1.0000 - 5.0000	GS: BM-1	RC: UNK NANO: No SUBSTANCE ROLE: Corrosion inhibitor				
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
CAN	GHS - Australia	H350i - May cause cancer by inhalation				
CAN	GHS - Japan	Carcinogenicity - Category 1A [H350]				
SUBSTANCE NOTES: Corrosion Protection						

MANGANESE CITRATE				ID: 10024-66-5
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	SCREENING	DATE: 2021-06-08 13:15:42
%: 1.0000 - 5.0000	GS: NoGS	RC: UNK	NANO: No	SUBSTANCE ROLE: Corrosion inhibitor
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: Corrosio	n Protection			

MANGANESE, BIS(D-GLUCONATO-O1,O2)-, (T-4)-					
HAZARD SCREENING METHOD	: Pharos Chemical and Materials Library	HAZARD S	SCREENING	DATE: 2021-06-08 13:15:42	
%: 1.0000 - 10.0000	GS: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Corrosion inhibitor	
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS		
None found			No war	nings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: Corrosio	on Protection				

CHROMIUM NITRATE ID: 13548						
HAZARD SCREENING METHOL	: Pharos Chemical and Materials Library	HAZARD S	CREENING	DATE: 2021-06-08 13:15:40		
%: 1.0000 - 5.0000	GS: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Corrosion inhibitor		
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS			
SKI	MAK	Sen	sitizing Subs	stance Sh - Danger of skin sensitization		
SUBSTANCE NOTES: Corrosi	on Protection					

HYDROFLUORIC ACID				ID: 7664-39-3
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	SCREENING	DATE: 2021-06-08 13:15:40
%: 1.0000 - 5.0000	GS: BM-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Corrosion inhibitor

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
MAM	EU - GHS (H-Statements)	H330 - Fatal if inhaled
MAM	EU - GHS (H-Statements)	H300 - Fatal if swallowed
МАМ	EU - GHS (H-Statements)	H310 - Fatal in contact with skin
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
MAM	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
РНҮ	GHS - Korea	H290 - May be corrosive to metals

CHROMIUM FLUORIDE (CRF3)				ID: 7788-97-8
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING	DATE: 2021-06-08 13:15:41
%: 1.0000 - 5.0000	GS: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Corrosion inhibitor
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS	
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitiza		

SUBSTANCE NOTES: Corrosion Protection

PHOSPHORIC ACID, CHROMIUM(3++) SALT (1:1)

ID: 7789-04-0

SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
%: 1.0000 - 10.0000	GS: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Corrosion inhibitor	
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-06-08 13:15:41			

CHROMIUM (III) OXIDE ID: 1308-38-9

SKI	MAK		Sensitizing Substance Sh - Danger of skin sensitization			
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS			
%: 0.1000 - 1.0000	GS: BM-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Corrosion inhibitor		
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2021-06-08 13:15:47			

SUBSTANCE NOTES: Corrosion Protection



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Inherently non-emitting source per LEED®

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2018-07- EXPIRY DATE:

CERTIFIER OR LAB: LEED

plants listed on the website.

https://www.clarkdietrich.com/about-us/locations.

APPLICABLE FACILITIES: All ClarkDietrich manufacturing

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Cold-Formed Steel Framing is considered an inherently non- emitting source per LEED®



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

STEEL TAPPING SCREWS FOR COLD-FORMED STEEL FRAMING CONNECTIONS

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Self-drilling and self-piercing screws (per ASTM C1513) are used to connect cold-formed steel framing members together in preparation to receive gypsum panel products.

Section 5: General Notes

ClarkDietrich offers a comprehensive lineup of steel construction products and services across the United States and abroad. Using cold-formed steel, we manufacture innovative products for interior framing, interior finishing, exterior framing, floor and roof framing, as well as clips, connectors, metal lath, barrier mesh and accessories.

As the demands for higher performance in all aspects of today's buildings rise, we partner with teams of architects, engineers, building developers and owners, contractors, and more on projects of all sizes, scope, and complexity.

Far beyond products, our collaborations increasingly involve efforts and expertise that support smarter installation and design, including resources for BIM and ClarkDietrich Engineering Services LLC.

Formed in 2011 through the combination of two established market leaders - ClarkWestern Building Systems and Dietrich Metal Framing -ClarkDietrich is in an unprecedented position to help you bring change to the built environment.

MANUFACTURER INFORMATION

MANUFACTURER: ClarkDietrich Building Systems ADDRESS: 9050 Centre Pointe Drive #400

WEBSITE: www.clarkdietrich.com

West Chester Ohio 45069, United States

CONTACT NAME: Adam Shoemaker

TITLE: Building Code Compliance Manager

PHONE: (800) 976-0249

EMAIL: support@clarkdietrich.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.)
NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.