

ATTACH TRACK TO STRUCTURE  
AS REQ'D PER DESIGN.

ClarkDietrich BUILDING SYSTEMS  
MaxTrak™  
SLOTTED DEFLECTION TRACK  
MEMBER SIZE AS REQ'D  
PER DESIGN.

GAP TO  
ALLOW FOR VERTICAL  
DEFLECTION.

ENGINEER OF RECORD:  
VERIFY ADEQUACY OF GAP.

(1)#8-18  
WAFFERHEAD  
FRAMING SCREWS  
IN EACH STUD  
FLANGE.

ClarkDietrich BUILDING SYSTEMS  
TRAKLOC® WALL STUD.  
MEMBER SIZE AS REQ'D  
PER DESIGN.

REQ'D  
DEFLECTION  
GAP

TRAKLOC SIDE VIEW

# MaxTrak SLOTTED DEFLECTION TRACK

WITH TRAKLOC FRAMING SYSTEM



**ClarkDietrich**  
BUILDING SYSTEMS

Engineering Services: (877) 832-3206

Technical Services: (888) 437-3244

The CAD detail library is intended to provide general framing details only and does not replace the judgments and designs of a qualified architect and/or engineer. The details are provided as a starting tool to assist the user in creating and detailing cold-formed steel framing construction details. Each detail including accompanying text must be thoroughly evaluated and approved by a qualified architect or engineer. | Find over 500 CAD details at [cad.clarkdietrich.com](http://cad.clarkdietrich.com) | © Copyright 2015 ClarkDietrich Building Systems