

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/13/2019

Reviewed on 02/13/2019

ldentification · Product Identifier · Trade Name: Wet Stick · Relevant identified uses of the substance or mixture and uses advised against: Drywall Applications · Product Description: Construction Product · Details of the Supplier of the Safety Data Sheet: · Manufacturer/Supplier: ClarkDietrich-StraitFlex 3851 Corporate Center Drive O'Fallon, MO, 63368 Fax: 636-300-0414 Straitflex.com · Emergency telephone number: 1-636-300-1411 2 Hazard(s) Identification · Classification of the substance or mixture: The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03. · Label elements: · GHS label elements Non-Regulated Material Hazard pictograms: Non-Regulated Material · Signal word: Non-Regulated Material · Hazard statements: Non-Regulated Material · Unknown acute toxicity: This value refers to knowledge of known, established toxicological or ecotoxicological values. · Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme NFPA ratings (scale 0 - 4) Health = 0 Fire = 0Reactivity = 0 HMIS-ratings (scale 0 - 4) HEALTH Health = 0 FIRE 0 Fire = 0REACTIVITY O Physical Hazard = 0 Hazard(s) not otherwise classified (HNOC): None known 3 Composition/Information on Ingredients · Chemical characterization: Mixtures · Description: Mixture of substances listed below with non-hazardous additions. · Dangerous Components:

CAS: 9002-86-2	Polyvinyl chloride	<91%
RTECS: KV0350000	🚯 STOT SE 3, H335	
CAS: 5873-54-1	o-(p-isocyanatobenzyl)phenyl isocyanate	<1%
	Resp. Sens. 1, H334; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335	

(Contd. on page 2)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/13/2019

Reviewed on 02/13/2019

Trade Name: Wet Stick

	Fibrous Cotton Powder	<2%
	Combustible Dust	-
	Fibrous Wool Powder	<2%
	Combustible Dust	-
	Proprietary Vinyl Acetate Copolymer	<1%
	Combustible Dust	-
CAS: 101-68-8	4,4'-methylenediphenyl diisocyanate	<1%
RTECS: NQ 9350000	Resp. Sens. 1, H334; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335	-

• Additional information:

The ingredients of this mixture are considered to be proprietary and are withheld in accordance with paragraph (i) of §1910.1200 of 29 CFR 1910.1200, the OSHA Hazard Communication Standard and U.S. Code of Federal Regulations.

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

The components listed above pose no direct hazard to the end user under normal use and operating conditions, as they are combined and transformed into a solid product.

First-Aid Measures

· Description of first aid measures

- General information: No special measures required.
- After inhalation: Not anticipated under normal use.
- After skin contact:

Wash with soap and water.

If skin irritation occurs, consult a doctor.

• After eye contact:

Rinse opened eye for several minutes under running water.

- If eye irritation occurs, consult a doctor.
- After swallowing: Not a normal route of entry.
- · Information for doctor
- *Most important symptoms and effects, both acute and delayed:* No further relevant information available. • *Indication of any immediate medical attention and special treatment needed:*

No further relevant information available.

5 Fire-Fighting Measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: No further relevant information.
- Special hazards arising from the substance or mixture: No further relevant information available.
- Advice for firefighters
- · Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures: Not required.
- Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up:

Dispose of the collected material according to regulations.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/13/2019

Trade Name: Wet Stick

· Reference to other sections:

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

Protective Action Criteria for Chemicals

· PAC-1:	
9002-86-2 Polyvinyl chloride	3 mg/m³
101-68-8 4,4'-methylenediphenyl diisocyanate	0.45 mg/m³
· PAC-2:	
9002-86-2 Polyvinyl chloride	33 mg/m³
101-68-8 4,4'-methylenediphenyl diisocyanate	5 mg/m³
· PAC-3:	
9002-86-2 Polyvinyl chloride	200 mg/m³
101-68-8 4,4'-methylenediphenyl diisocyanate	55 mg/m³

7 Handling and Storage

- · Handling
- · Precautions for safe handling: No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: Store in a cool, dry place.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters:

Components with occupational exposure limits:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

9002-86-2	9002-86-2 Polyvinyl chloride		
TLV	Long-term value: 1* mg/m ³ *as respirable fraction		
Fibrous Co	otton Powder		
OSHA PEL Short-term value: 15 mg/m ³ , 5 ppm Long-term value: 15 mg/m ³ , 5 ppm Ceiling limit value: 15 mg/m ³ , 5 ppm			
Fibrous We	ool Powder		
OSHA PEL	Short-term value: 15 mg/m ³ , 5 ppm Long-term value: 15 mg/m ³ , 5 ppm Ceiling limit value: 15 mg/m ³ , 5 ppm		
	(Contd. on page 4)		

Reviewed on 02/13/2019



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/13/2019

Trade Name: Wet Stick

101-68-8 4,4'-methylenediphenyl diisocyanate			
PEL	Ceiling limit value: 0.2 mg/m ³ , 0.02 ppm		
REL	Long-term value: 0.05 mg/m³, 0.005 ppm Ceiling limit value: 0.2* mg/m³, 0.02* ppm *10-min		
TLV	Long-term value: 0.051 mg/m³, 0.005 ppm		
A 1 11/1 1			

· Additional information: The lists that were valid during the creation of this SDS were used as basis.

- Exposure controls:
- · Personal protective equipment
- General protective and hygienic measures: No special measures required.
- · Breathing equipment: Not required.
- · Protection of hands: Not required.
- Eye protection:



Safety glasses

· Limitation and supervision of exposure into the environment: None

9 Physical and Chemical Properties

 Information on basic physical and General Information 	chemical properties	
 Appearance: Form: Color: Odour: Odor threshold: 	Formed Strip White Odorless Not determined.	
· pH-value:	Not applicable.	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not determined. Not determined.	
· Flash point:	None	
· Flammability (solid, gaseous):	Not determined.	
· Ignition temperature:	Not applicable	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not self-igniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
 Explosion limits: Lower: Upper: 	Not determined. Not determined.	
· Vapor pressure:	Not applicable.	
[.] Density: Relative density: Vapor density:	Not determined. Not applicable.	(0

Reviewed on 02/13/2019



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/13/2019

Reviewed on 02/13/2019

Trade Name: Wet Stick	
Evaporation rate:	Not applicable.
 Solubility in / Miscibility with: Water: 	Insoluble.
· Partition coefficient (n-octanol/wa	<i>ter):</i> Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
• Other information:	No further relevant information available.
10 Stability and Reactivity	

- · Reactivity: The product is stable under normal conditions
- · Chemical stability: Stable under normal conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions: No dangerous reactions known.
- Conditions to avoid: No further relevant information available.
- · *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

1 Toxicological Information

- · Information on toxicological effects:
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

9002-86-2 Polyvinyl chloride

Oral LD50 210 mg/kg (Rat)

101-68-8 4,4'-methylenediphenyl diisocyanate

	-	
Oral	LD50	2,200 mg/kg (Mouse)
Dermal	LD50	>9,400 mg/kg (Rabbit)
Inhalative	LC50/4 h	>1,000 mg/l (Trout)

· Primary irritant effect:

• On the skin: No irritating effect.

• On the eye: No irritating effect.

· Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations.

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories:

 IARC (International Agency for Research on Cancer): 	
9002-86-2 Polyvinyl chloride	3
101-68-8 4,4'-methylenediphenyl diisocyanate	3
· NTP (National Toxicology Program):	
None of the ingredients are listed.	
· OSHA-Ca (Occupational Safety & Health Administration):	
None of the ingredients are listed.	
	(Contd. on page 6)

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/13/2019

Reviewed on 02/13/2019

Trade Name: Wet Stick

12 Ecological Information

- · Toxicity:
- · Aquatic toxicity:

101-68-8 4,4'-methylenediphenyl diisocyanate

- EC50 >1,000 mg/l (Daphnia)
- Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- Additional ecological information:
- · General notes: Generally not hazardous for water.
- Results of PBT and vPvB assessment:
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No further relevant information available.

13 Disposal Considerations

· Waste treatment methods

· Recommendation:

Smaller quantities can be disposed of with household waste.

Observe all federal, state and local environmental regulations when disposing of this material.

· Uncleaned packaging

· Recommendation: Disposal must be made according to official regulations.

14 Transport Information		
· UN-Number:		
· DOT, ADR/ADN, ADN, IMDG, IATA	Non-Regulated Material	
 UN proper shipping name: 		
DOT, ADR/ADN, ADN, IMDG, IATA	Non-Regulated Material	
 Transport hazard class(es): 		
· DOT, ADR/ADN, ADN, IMDG, IATA		
Class:	Non-Regulated Material	
 Packing group: 	-	
· DOT, ADR/ADN, IMDG, IATA	Non-Regulated Material	
 Environmental hazards: 	Not applicable.	
 Special precautions for user: 	Not applicable.	
Transport in bulk according to Annex		
MARPOL73/78 and the IBC Code:	Not applicable.	
· UN "Model Regulation":	Non-Regulated Material	
15 Regulatory Information		

• Safety, health and environmental regulations/legislation specific for the substance or mixture: • SARA (Superfund Amendments and Reauthorization):

- Section 355 (extremely hazardous substances): None of the ingredients are listed.

(Contd. on page 7)



Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/13/2019

Trade Name: Wet Stick

101_68_8 / A A'-methylenedinhenyl diisocyanate	
101-68-8 4,4'-methylenediphenyl diisocyanate	
TSCA (Toxic Substances Control Act):	
9002-86-2Polyvinyl chloride5873-54-1o-(p-isocyanatobenzyl)phenyl isocyanate	
101-68-8 4,4'-methylenediphenyl diisocyanate	
TSCA new (21st Century Act): (Substances not listed) Fibrous Cotton Powder	
Fibrous Wool Powder	
Proprietary Vinyl Acetate Copolymer	
California Proposition 65:	
Chemicals known to cause cancer:	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
New Jersey Right-to-Know List:	
9002-86-2 Polyvinyl chloride	
101-68-8 4,4'-methylenediphenyl diisocyanate	
New Jersey Special Hazardous Substance List:	
None of the ingredients are listed.	
Pennsylvania Right-to-Know List:	
101-68-8 4,4'-methylenediphenyl diisocyanate	
Pennsylvania Special Hazardous Substance List:	
101-68-8 4,4'-methylenediphenyl diisocyanate	E
Carcinogenic categories:	
EPA (Environmental Protection Agency):	
101-68-8 4,4'-methylenediphenyl diisocyanate	D, CBE
TLV (Threshold Limit Value established by ACGIH):	
9002-86-2 Polyvinyl chloride	A
NIOSH-Ca (National Institute for Occupational Safety and Health):	
None of the ingredients are listed.	
GHS label elements Non-Regulated Material	
Hazard pictograms: Non-Regulated Material	
Signal word: Non-Regulated Material	
Hazard statements: Non-Regulated Material	
National regulations:	

Reviewed on 02/13/2019

(Contd. on page 8)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/13/2019

Trade Name: Wet Stick

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of preparation / last revision: 02/13/2019 / 3 Abbreviations and acronvms: ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety & Health Administration TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Resp. Sens. 1: Respiratory sensitisation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 * Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106

Reviewed on 02/13/2019